



OPEN ACCESS

EDITED AND REVIEWED BY
Michael Kogut,
Agricultural Research Service (USDA),
United States

*CORRESPONDENCE
Germán J. Cantón
canton.german@inta.gob.ar

SPECIALTY SECTION
This article was submitted to
Veterinary Infectious Diseases,
a section of the journal
Frontiers in Veterinary Science

RECEIVED 22 August 2022
ACCEPTED 23 August 2022
PUBLISHED 22 September 2022

CITATION
Cantón GJ, Louge Uriarte EL and
Moore DP (2022) Editorial: Diseases
affecting reproduction and the
neonatal period in ruminants, Volume
II. *Front. Vet. Sci.* 9:1025209.
doi: 10.3389/fvets.2022.1025209

COPYRIGHT
© 2022 Cantón, Uriarte and Moore.
This is an open-access article
distributed under the terms of the
[Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is
permitted, provided the original
author(s) and the copyright owner(s)
are credited and that the original
publication in this journal is cited, in
accordance with accepted academic
practice. No use, distribution or
reproduction is permitted which does
not comply with these terms.

Editorial: Diseases affecting reproduction and the neonatal period in ruminants, Volume II

Germán J. Cantón^{1*}, Enrique L. Louge Uriarte¹ and
Dadín P. Moore^{1,2}

¹Animal Production Department, Institute of Innovation for Agricultural Production and Sustainable Development (IIPADS), Balcarce, Argentina, ²Faculty of Agricultural Sciences, National University of Mar del Plata, Mar del Plata, Argentina

KEYWORDS

abortion, perinatal mortality, diagnosis, ruminants, control

Editorial on the Research Topic

Diseases affecting reproduction and the neonatal period in ruminants, Volume II

Reproductive efficiency of livestock systems will be key in the future in order to provide animal protein to meet the increasing demand generated by human population worldwide (1–4). A more competitive market will ask the meat-producing countries to improve their efficiency by reducing their carbon and water footprints (5–7). Livestock-producing countries with extensively pastures and natural grasslands represent over 50% of the productive cattle stock worldwide (8). Furthermore, small ruminant production is regularly considered a secondary agricultural activity, as a means of subsistence, usually raised on marginal lands that are inappropriate for more profitable agricultural activities (9). Ruminants in extensively producing systems are exposed to environmental conditions, which sometimes are poorly characterized (10).

It is important to establish the origin of low weaning rates in ruminant systems. Were the dams pregnant once the breeding season finishes? Did the pregnant dam deliver once the lambing/calving season finished? Did we wean a lamb/calf? These questions are key to clearly establish when reproductive losses occur.

The papers included in this Research Topic focus on common infectious and parasitic disease agents that cause ruminant abortion and perinatal (Dorsch et al., Giannitti et al., Gondim and McAllister, Gual et al.) and neonatal mortality (Caffarena et al.). However, low pregnancy rates could probably be related to animals with suboptimal body condition (11), mineral deficiencies (12, 13), and exposure to environmental stressors (14–17) and/or infectious diseases (18–20). Later on, reproductive losses associated with abortions and stillbirth are more frequently related to infectious causes (21–24). Interestingly, most of the studies concerning reproductive losses are focused on infectious causes, but a large proportion of the cases have no evidence of infectious diseases, with no detection of abortifacient agents nor indirect evidence of immune response against them. Rare studies have focused on reproductive losses associated

with non-infectious causes, such as mineral imbalances and toxicoses (10, 25–33), or a concomitant infectious disease of the dam with no direct effect on the placenta or fetuses (34–37). Moreover, the possible association of non-infectious causes, their effect on the immunological status of the dam, and ultimately on the fetal and placental health are relevant topics (38–40).

Further studies are needed in order to detect the impact of non-infectious diseases either as primary causes or, secondly, as predisposing factors on reproductive losses. These diseases are usually regionally detected and their impact could be underestimated.

Although the diagnosis of non-infectious causes is usually more difficult than infectious causes (23, 24), the differential diagnosis of reproductive losses must include the identification of such non-infectious etiologies. Once their impact is detected or discarded, inclusion of corrective measures in animal health programs could improve the reproductive performance of herds and flocks and, ultimately, the efficiency of the livestock industry.

Author contributions

GC, EL, and DM conceived the work, provided critical revision of the work for important intellectual content, and

gave final approval of the version to be published. All authors contributed to the article and approved the submitted version.

Acknowledgments

The authors thank to the Animal Health Group at INTA, EEA Balcarce, Argentina.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

- Cardoso Consentini CE, Wiltbank MC, Sartori R. Factors that optimize reproductive efficiency in dairy herds with an emphasis on timed artificial insemination programs. *Animals*. (2021) 11:301. doi: 10.3390/ani11020301
- Edmondson MA, Roberts FJ, Baird AN, Bychawski S, Pugh DG. Theriogenology of sheep and goats. In: Pugh DG, Baird AN, editors. *Sheep and Goat Medicine*. 2nd ed. Philadelphia, PA: Saunders (2012). pp. 150–230. doi: 10.1016/B978-1-4377-2353-3.10008-3
- Pohler K, Franco G, Reese S, Smith M. Chapter 3 - physiology and pregnancy of beef cattle. In: Bazer F, Lamb G, Wu G, editors. *Animal Agriculture, Sustainability, Challenges and Innovations*. Cambridge, MA: Academic Press (2020). p. 37–55. doi: 10.1016/B978-0-12-817052-6.00003-3
- Reese T, Franco GA, Poole RK, Hood R, Fernandez Montero L, Oliveira Filho RV, et al. Pregnancy loss in beef cattle: a meta-analysis. *Anim Reprod Sci*. (2020) 212:106251. doi: 10.1016/j.anireprosci.2019.106251
- Gerbens-Leenes PW, Mekonnen MM, Hoekstra AY. The water footprint of poultry, pork and beef: a comparative study in different countries and production systems. *Water Resour Ind*. (2013) 1–2:25–36. doi: 10.1016/j.wri.2013.03.001
- OECD/FAO. *OECD-FAO Agricultural Outlook 2021–2030*. Paris: OECD Publishing (2021).
- Schroeder R, Aguiar L, Baines R. Carbon footprint in meat production and supply chains. *J Food Sci Eng*. (2012) 2:652–65. doi: 10.17265/2159-5828/2012.1.1.005
- O'Mara FP. The role of grasslands in food security and climate change. *Ann Bot*. (2012) 110:1263–70. doi: 10.1093/aob/mcs209
- Aréchiga CF, Aguilera JI, Rincón RM, Méndez de Lara S, Bañuelos VR, Meza-Herrera CA. Role and perspectives of goat production in a global world. *Trop Subtrop Agroecosystems*. (2008) 9:1–14. Available online at: <https://www.redalyc.org/articulo.oa?id=93911227001>
- Rhind SM, Evans NP, Bellingham M, Sharpe RM, Cotinot C, Mandon-Pepin B, et al. Effects of environmental pollutants on the reproduction and welfare of ruminants. *Animal*. (2010) 4:1227–39. doi: 10.1017/S1751731110000595
- Robinson JJ, Ashworth CJ, Rooke JA, Mitchell LM, McEvoy TG. Nutrition and fertility in ruminant livestock. *Anim Feed Sci Technol*. (2006) 126:259–76. doi: 10.1016/j.anifeedsci.2005.08.006
- Hidiroglou M. Trace element deficiencies and fertility in ruminants: a review. *J Dairy Sci*. (1979) 62:1195–206. doi: 10.3168/jds.S0022-0302(79)83400-1
- Molefe K, Mwanza M. Effects of mineral supplementation on reproductive performance of pregnant cross-breed Bonsmara cows: an experimental study. *Reprod Domest Anim*. (2020) 55:301–8. doi: 10.1111/rda.13618
- Fernandez-Novo A, Pérez-Garnelo SS, Villagrà A, Pérez-Villalobos N, Astiz S. The effect of stress on reproduction and reproductive technologies in beef cattle - a review. *Animals*. (2020) 10:2096. doi: 10.3390/ani10112096
- Lee CN. Environmental stress effects on bovine reproduction. *Vet Clin N Am - Food Anim Pract*. (1993) 9:263–73. doi: 10.1016/S0749-0720(15)30645-9
- Lucy MC. Stress, strain, and pregnancy outcome in postpartum cows. *Anim Reprod*. (2019) 16:455–64. doi: 10.21451/1984-3143-AR2019-0063
- Wrzecińska M, Czerniawska-Piatkowska E, Kowalczyk A. The impact of stress and selected environmental factors on cows' reproduction. *J Appl Anim Res*. (2021) 49:318–23. doi: 10.1080/09712119.2021.1960842
- BonDurant RH. Venereal diseases of cattle: natural history, diagnosis, and the role of vaccines in their control. *Vet Clin N Am Food Anim Pract*. (2005) 21:383–408. doi: 10.1016/j.cvfa.2005.03.002
- Givens MD. A clinical, evidence-based approach to infectious causes of infertility in beef cattle. *Theriogenology*. (2006) 66:648–54. doi: 10.1016/j.theriogenology.2006.04.021
- Wathes DC, Oguejiofor CF, Thomas C, Cheng Z. Importance of viral disease in dairy cow fertility. *Engineering*. (2020) 6:26–33. doi: 10.1016/j.eng.2019.07.020

21. Cuttance E, Laven R. Estimation of perinatal mortality in dairy calves: a review. *Vet J.* (2019) 252:105356. doi: 10.1016/j.tvjl.2019.105356
22. Campero CM, Moore DP, Odeón AC, Cipolla AL, Odriozola E. Aetiology of bovine abortion in Argentina. *Vet Res Commun.* (2003) 27:359–69. doi: 10.1023/A:1024754003432
23. Cantón GJ, Moreno F, Fiorentino MA, Hecker YP, Spetter M, Fiorani F, et al. Spatial-temporal trends and economic losses associated with bovine abortifacients in central Argentina. *Trop Anim Health Prod.* (2022) 54:242. doi: 10.1007/s11250-022-03237-0
24. Mee JF. Investigation of bovine abortion and stillbirth/perinatal mortality - similar diagnostic challenges, different approaches. *Irish Vet J.* (2020) 73:20. doi: 10.1186/s13620-020-00172-0
25. Aytakin I, Unbul Aypak S. Levels of selected minerals, nitric oxide, and vitamins in aborted Sakis sheep raised under semitropical conditions. *Trop Anim Health Prod.* (2011) 43:511–4. doi: 10.1007/s11250-010-9724-x
26. Waldner CL, Blakley B. Evaluating micronutrient concentrations in liver samples from abortions, stillbirths, and neonatal and postnatal losses in beef calves. *J Vet Diagn Investig.* (2014) 26:376–89. doi: 10.1177/1040638714526597
27. Dicostanzo A, Johnston L, Win Dels H, Murphy M. A review of the effects of molds and mycotoxins in ruminants. *Profess Anim Sci.* (1996) 12:138–50. doi: 10.15232/S1080-7446(15)32510-9
28. Diekman MA, Green M. Mycotoxins and reproduction in domestic livestock. *J Animal Sci.* (1992) 70:1615–27. doi: 10.2527/1992.7051615x
29. Gallo A, Giuberti G, Frisvad JC, Bertuzzi T, Nielsen KF. Review on mycotoxin issues in ruminants: occurrence in forages, effects of mycotoxin ingestion on health status and animal performance and practical strategies to counteract their negative effects. *Toxins.* (2015) 7:3057–111. doi: 10.3390/toxins7083057
30. Riet-Correa F, Medeiros RMT, Schild AL. A review of poisonous plants that cause reproductive failure and malformations in the ruminants of Brazil. *J Appl Toxicol.* (2011) 32:245–54. doi: 10.1002/jat.1754
31. Stegelmeier BL, Davis TZ, Clayton MJ. Plant-induced reproductive disease, abortion, and teratology in livestock. *Vet Clin N Am Food Anim Pract.* (2020) 36:735–43. doi: 10.1016/j.cvfa.2020.08.004
32. Welch KD, Davis TZ, Panter KE, Pfister JA, Green BT. The effect of poisonous range plants on abortions in livestock. *Rangelands.* (2009) 31:28–34. doi: 10.2111/1551-501X-31.1.28
33. Yaeger MJ, Neiger RD, Holler L, Fraser TL, Hurley DJ, Palmer IS. The effect of subclinical selenium toxicosis on pregnant beef cattle. *J Vet Diagn Invest.* (1998) 10:268–73. doi: 10.1177/104063879801000307
34. Dahl MO, Maunsell FP, De Vries A, Galvao KN, Risco CA, Hernandez JA. Evidence that mastitis can cause pregnancy loss in dairy cows: a systematic review of observational studies. *J Dairy Sci.* (2017) 100:8322–9. doi: 10.3168/jds.2017-12711
35. Henker LC, Lorenzett MP, Fagundes-Moreira R, Cabrera Dalto AG, Sonne L, Driemeier D, et al. Bovine abortion, stillbirth and neonatal death associated with *Babesia bovis* and *Anaplasma* sp. infections in southern Brazil. *Ticks Tick Borne Dis.* (2020) 11:101443. doi: 10.1016/j.ttbdis.2020.101443
36. Risco CA, Donovan GA, Hernandez J. Clinical mastitis associated with abortion in dairy cows. *J Dairy Sci.* (1999) 82:1684–9. doi: 10.3168/jds.S0022-0302(99)75397-X
37. Soares Batista J, Alvesdos Santos WL, Freitas Caetano de Sousa AC, da Silva Teófilo T, Suassuna Bezerra ACD, Vieira Rodrigues VH, et al. Abortion and congenital transmission of *Trypanosoma vivax* in goats and ewes in semiarid northeastern Brazil. *Res Vet Sci.* (2022) 149:125–7. doi: 10.1016/j.rvsc.2022.06.009
38. Fair T. The Contribution of the maternal immune system to the establishment of pregnancy in cattle. *Front Immunol.* (2015) 6:7. doi: 10.3389/fimmu.2015.00007
39. Pastor-Fernández I, Collantes-Fernández E, Jiménez-Pelayo L, Ortega-Mora LM, Horcajo P. Modeling the ruminant placenta-pathogen interactions in Apicomplexan parasites: current and future perspectives. *Front Vet Sci.* (2021) 7:634458. doi: 10.3389/fvets.2020.634458
40. Sigdel A, Bisinotto RS, Peñagaricano F. Genes and pathways associated with pregnancy loss in dairy cattle. *Sci Rep.* (2021) 11:13329. doi: 10.1038/s41598-021-92525-0